

Schedule of Benefits & Plan Design Medical Services Deductible Information

Deductible	Participating Providers (In Network)	Non Participating Providers (Out of Network) ¹
Individual	\$0	Not Covered
Family	\$0	Not Covered

Out of Pocket Information

Out of Pocket Maximum	Participating Providers (In Network)	Non Participating Providers (Out of Network) ¹
Individual	\$5,000	Not Covered
Family	\$10,000	Not Covered

Schedule of Benefits

The following table represents the medical services currently covered under the EASE SILVER™ Plan, as well as the permitted interval and any requirements of such medical services. This plan does not utilize a network for any facilities. All services performed in a medical facility (for example, a hospital as opposed to a primary care physician's office) will be subject to Reference Based Pricing (RBP) reimbursements based on a multiple of the Medicare Reimbursement Rate.

Plan Pr	ovisions	Prior Auth Required ²	Participating Providers (In Network)	Non Participating Providers (Out of Network)
			Me	ember Pays
PHYSICIAN SERVICES				
Primary Care Office	(Non-Hospital Based) (Limited to 10 visits per plan year)	No	\$15 Copay	Not Covered 100% paid by Member
Visit (Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member	
(Limited to 10 v	(Non-Hospital Based) (Limited to 10 visits per plan year)	No	\$25 Copay	Not Covered 100% paid by Member
Specialist Office Visit	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
•	nt Care its per plan year)	No	\$35 Copay	Not Covered 100% paid by Member
Telemedici	ne Services	No	\$0	Not Applicable

¹ If the Plan covers Emergency Room and/or Ambulance Services, those services will be covered if they are provided by an Out of Network provider and will be subject to the deductible and Out of Pocket Maximum.

² If prior authorization is not obtained for services requiring a prior authorization, the benefits payable by the Plan for such services will be reduced to 50% of the allowed charges after the copay.



Plan Pro	ovisions	Prior Auth Required ²	Participating Providers (In Network)	Non Participating Providers (Out of Network)
			Mem	ber Pays
(See Schedule of	(Non-Hospital Based)	No	\$0 Copay (Plan pays 100% of covered preventive and wellness services)	Not Covered 100% paid by Member
Preventive Health Services section)	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
HOSPITAL/FACILITY SER	VICES (Subject to Reference	ed Based Pri	cing)	
Inpatient Hospitalization (Limited to 7 days per plan year		Yes	\$350 Copa	y per admission
Inpatient Visits - Physici (Limited to visits up to 7 days p		No	Included in Inpatien	t Hospitalization Copay
Inpatient Surgery - Physician Charges (Second surgical opinion may be required; Limited to 3 surgeries per plan year)		Yes	Included in Inpatient Hospitalization Copay	
Outpatient Hospital or F Services and Surgery (Limited to 2 visit per plan year)		Yes	\$350	0 Сорау
Anesthesia (Limited to 3 inpatient and 2 outpatient anesthetic procedures per plan year)		No	Included in Inpatient Hospitalization or Outpatient Hospital or Fr Standing Facility Services and Surgery Copay	
Emergency Room Services (Limited to 1 visit per plan year)		No	\$350 Copay	
DIAGNOSTIC SERVICES				
Laboratory Services	(Non-Hospital Based) (Combined limit of 3 visits per plan year with Radiology)	No	\$50 Copay	Not Covered 100% paid by Member
	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Radiology	(Non-Hospital Based) (Combined limit of 3 visits per plan year with Laboratory Services)	No	\$50 Copay	Not Covered 100% paid by Member
	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
CT/MRI/MRA/PET Scan	(Non-Hospital Based)	Yes	\$350 Copay	Not Covered 100% paid by Member
(Limited to 2 visits per plan year.)	(Hospital Based)	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member



Plan Pro	ovisions	Prior Auth Required ²	Participating Providers (In Network)	Non Participating Providers (Out of Network)
PREGNANCY BENEFITS			Mem	ber Pays
Professional Services		No	\$350 Copay	Not Covered 100% paid by Member
Childbirth/Delivery (Considered Inpatient Hospital S	Stay)	No	•	y per admission ect to RBP)
OTHER SERVICES				
Allergy Services (Included in Primary Care Office limits. The copay applies to the a service and is separate from the	administration of the allergy	No	\$25 Copay	Not Covered 100% paid by Member
Home Health Care (Limited to 15 visits per plan year	ır)	No	\$25 Copay	Not Covered 100% paid by Member
Treatment for Chemical Abuse & Dependency	/Limited to 7 days per Ves		1 3 1 3	
Treatment for Chemical Abuse & Dependency	(Out-Patient) (Limited to 7 days per plan year)	Yes	\$25 Copay per day	Not Covered 100% paid by Member
Rehabilitation/Habilitatio	n Services	No	Not Covered 100% paid by Member	Not Covered 100% paid by Member
Emergency Medical Tran (By land only; Limited to 1 transp		No	•	60 Copay ect to RBP)

PHARMACY BENEFITS		Participating Pharmacies	Non Participating Pharmacies
		Mem	ber Pays
Preventive Prescriptions - (Subject to Formular	ry)		
Pharmacy Retail – up to a 30 day supply		Generic - \$0 Copay (Limited to Preventive Generic)	Not Covered 100% paid by Member
Non-Preventive Prescriptions - (Subject to Form	mulary)		
Pharmacy Retail – up to a 30 day supply		Not Covered 100% paid by Member	Not Covered 100% paid by Member
Pharmacy Mail Order – 90 day supply		Not Covered 100% paid by Member	Not Covered 100% paid by Member
Preferred Brand, Non Preferred Brand, & Specialty Drugs		Not Covered 100% paid by Member	Not Covered 100% paid by Member



Preventive Health Services: Limitations, Intervals, and Requirements¹

The following table represents the preventive services currently covered under the EASE SILVER™ Plan as well as the permitted interval and any requirements of such preventive services.

Preventive Health Services

Covered Benefits

Benefits are automatically subject to 29 CFR § 2590.715 -2713(a). Amendments to this section through legislative act or regulation are automatically incorporated into this document by reference. Preventive Services covered in this section are explained in more detail through the following official resources:

- Medical services with a rating of "A" or "B" from the current recommendations of the United States Preventive Services Task Force. See https://www.uspreventiveservicestaskforce.org
- Preventive care and screenings for infants, children, and adolescents provided for in the comprehensive guidelines supported by the Health Resources and Services Administration. Guidelines can be found in https://www.hrsa.gov
- Immunizations recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for certain individuals only. See https://www.cdc.gov/vaccines/acip

Benefit	Interval	Requirements
Abdominal Aortic Aneurysm Screening	1 per lifetime	By ultrasonography in men ages 65-75 years who have ever smoked.
Adult Annual Standard Physical	1 per plan year	Adults, one (1) physical preventive exam per plan year.
Alcohol Misuse: Unhealthy Alcohol Use Screening and Counseling	1 per plan year	Screenings for unhealthy alcohol use in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.
Aspirin: Preventive Medication	As prescribed	Adults ages 50 to 59 with high risk of cardiovascular diseases and for the primary prevention of cardiovascular disease and colorectal cancer. Low-dose aspirin (81 mg/d) as preventive medication for women after 12 weeks of gestation who are at high risk for preeclampsia.
Bacteriuria Screening	1 per plan year	Screening for asymptomatic bacteriuria with urine culture in pregnant women at 12 to 16 weeks' gestation or at the first prenatal visit, if later.
BRCA Risk Assessment and Genetic Counseling/Testing	1 per plan year	Screening to women who have family members with breast, ovarian, tubal, or peritoneal cancer with one of several screening tools designed to identify a family history that may be associated with an increased risk for potentially harmful mutations in breast cancer susceptibility genes (<i>BRCA</i> 1 or <i>BRCA</i> 2). Women with positive screening results should receive genetic counseling and, if indicated after counseling, BRCA testing.
Breast Cancer Preventive Medications	As prescribed	Risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors for women who are at increased risk for breast cancer and at low risk for adverse medication effects.
Breast Cancer Screening	1 time every 2 plan years	Screening mammography for women age 50 years and older. Coverage limited to 2D mammograms only.

¹ None of the Preventive Health Services are covered if they are provided at a hospital.



Preventive Health Services			
Benefit	Interval	Requirements	
Breastfeeding Support, Supplies and Counseling	In Conjunction with each birth	Interventions during pregnancy and after birth to support breastfeeding. Costs for renting breastfeeding equipment will be covered in conjunction with each birth.	
Cervical Cancer Screening: with Cytology (Pap Smear)	1 time every 3 plan years	Women age 21 to 65 years with cervical cytology alone.	
Cervical Cancer Screening: with Combination of Cytology and Human Papilloma Virus (HPV) testing	1 time every 5 plan years	Women age 30 to 65 years with high-risk papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology.	
Chlamydia Screening	1 per plan year	Sexually active women age 24 and younger and in older women who are at increased risk infection.	
Colorectal Cancer Screening	1 time every 5 plan years	Starting in adults at age 50 years and continuing until age 75 years.	
Contraceptive Methods and Counseling	As prescribed	Food and Drug Administration (FDA) approved contraceptive methods, sterilization procedures, and patient education and counseling for all women with reproductive capacity, not including abortifacient drugs.	
Dental Caries Prevention: Infants and Children Up to Age 5	1 per plan year	Application of fluoride varnish to the primary teeth of all infants and children starting at the age of primary tooth eruption and prescription of oral fluoride supplementation starting at age 6 months for children whose water supply is fluoride deficient.	
		Screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up	
Depression Screening	1 per plan year	Screening for depression in the general adult population, including pregnant and postpartum women . Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow- up. Pregnant and postpartum persons at increased risk of perinatal depression should be refer to counseling interventions.	
Diabetes Screening	1 per plan year	Screening for abnormal blood glucose as part of cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity.	
Fall Prevention: Older Adults	1 per plan year	Exercise interventions for community-dwelling adults age 65 years and older who are at increased risk for falls.	
Folic Acid Supplementation	As prescribed	Daily supplement containing 0.4 to 0.8 mg (400 to 800µg) of folic acid for all women planning or capable of pregnancy.	
Gestational Diabetes Mellitus Screening	1 per plan year	Asymptomatic pregnant women after 24 weeks of gestation.	



	Preventive	Health Services
Benefit	Interval	Requirements
Gonorrhea Prophylactic Medication	As prescribed	Prophylactic ocular topical medication for all newborns for the prevention of gonococcal ophthalmia neonatorum.
Gonorrhea Screening	1 per plan year	Sexually active women age 24 years or younger and in older women who are at increased risk for infection.
Healthy Diet and Physical Activity Counseling to Prevent Cardiovascular Disease	1 per plan year	Adults who are overweight or obese and have additional cardiovascular disease (CVD) risk factors to intensive behavioral counseling interventions to promote a healthful diet and physical activity for CVD prevention.
Hemoglobinopathies Screening	1 per plan year	Screening for sickle cell disease in newborns .
Hepatitis B Screening	1 per plan year	Non-pregnant adolescents and adults at high risk for infection.
	, por plantyour	Pregnant women at their first prenatal visit.
Hepatitis C Virus (HCV) Infection Screening	1 per plan year	Persons at high risk for infection and Adults born between 1945 and 1965.
High Blood Pressure Screening	1 per plan year	Screening for high blood pressure in adults aged 18 or older.
HIV Preexposure Prophylaxis for the Prevention of HIV Infection	As prescribed	Persons who are at high risk of HIV acquisition.
	1 per plan year	Adolescents and adults aged 15 to 65 years. Younger adolescents and older adults who are at increased risk should also be screened.
HIV Screening		Pregnant women including those who present in labor, who are untested and whose HIV status is unknown.
Hypothyroidism Screening	1 per plan year	Screening for congenital hypothyroidism in newborns .
Intimate Partner Violence Screening	1 per plan year	Screening for intimate partner violence, in women of reproductive age and provide or refer women who screen positive to ongoing supporting services.
Lung Cancer Screening	1 per plan year	With low-dose computed tomography in adults aged 55 to 80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years. Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.
	1 per plea ve	To children and adolescents 6 years and older and offer or refer them to comprehensive, intensive behavioral interventions to promote improvements in weight status.
Obesity screening and Counseling	1 per plan year	Screening all adults . Clinicians should offer or refer patients with a body mass index of 30 kg/m ² or higher to intensive, multicomponent behavioral interventions.
Osteoporosis Screening	1 per plan year	In women aged 65 and older and in younger postmenopausal women at increased risk of osteoporosis.
Phenylketonuria Screening	1 per plan year	Screening for phenylketonuria in newborns .



	Preventive	Health Services
Benefit	Interval	Requirements
Preeclampsia Screening	1 per plan year	Pregnant women with blood pressure measurements throughout pregnancy.
Rh Incompatibility Screening: First Pregnancy Visit	1 per plan year	Rh (D) blood typing and antibody testing for all pregnant women during their first visit for pregnancy - related care.
RH Incompatibility Screening: 24–28 Weeks' Gestation	1 per plan year	Repeated Rh (D) antibody testing for all unsensitized Rh (D)-negative women at 24 to 28 weeks' gestation, unless the biological father is known to be Rh (D) - negative.
Sexually Transmitted Infections Counseling	1 per plan year	Intensive behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections.
Skin Cancer Behavioral Counseling	1 per plan year	Counseling young adults, adolescents, children, and parents of young children about minimizing their exposure to ultraviolet radiation for persons aged 6 months to 24 years with fair skin types to reduce their risk for skin cancer.
Statin Preventive Medication	As prescribed	Adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate-dose statin for the prevention of CVD events and mortality when all of the following criteria are met: 1) they are aged 40 to 75 years; 2) they have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking); and 3) they have a calculated 10-year risk of a cardiovascular event of 10% or greater. Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults ages 40 to 75 years.
Syphilis Screening	1 per plan year	Non-pregnant persons who are at increased risk for infection.
		All pregnant women.
		Provide behavioral interventions for cessation to all adults who use tobacco, advise them to stop using tobacco, and provide behavioral interventions, U.S. Food and Drug Administration (FDA) approved pharmacotherapy for cessation to adults who use tobacco is covered.
Tobacco Use Counseling and Interventions	2 per plan year	Provide behavioral interventions for cessation to pregnant women who use tobacco.
		Interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents .
Tuberculosis Screening	1 per plan year	Screening for latent tuberculosis infection in populations at risk.
Vision Screening	1 time every 2 plan years	All children aged 3 to 5 years to detect amblyopia or its risk factors.
Well-Woman Visits	1 per plan year	Women under 65 to obtain the recommended preventive services that are age and developmentally appropriate, including preconception care and many services necessary for prenatal care.
Well-Child Visits	1 per plan year	Children to obtain the recommended preventive services that are age and developmentally appropriate. (Covers 1 visit except as more frequently recommended for children under the age of 3 years.)



Immunizations

IMMUNIZATIONS - recommended by the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention for routine use in children, adolescents, or adults*

Birth Through Six Years Old			
Abbreviations	Vaccines	Age Requirements and Limitations	
HonD	Llanatitia D	Ages 4 weeks- 2 months	
НерВ	Hepatitis B	Ages 6 months- 18 months	
DTaP	Diphtheria, tetanus, and acellular pertussis	Ages 15 months- 18 months	
Hib	Haemophilus influenzae type b	Ages 12 months- 15 months	
PCV13	Pneumococcal 13-valent conjugate	Ages 12 months- 15 months	
IPV	Inactivated poliovirus	Ages 6 months-18 months	
Flu	Influenza (yearly)	Ages 6 months- 6 years	
MMR	Measles, mumps, and rubella	Ages 12 months- 15 months	
VAR	Varicella	Ages 12 months- 15 months	
НерА	Hepatitis A	Ages 12 months-23 months (1st dose)	
		Six months after the last dose (2nd dose)	
RV	Rotavirus	Ages 2 months- 6 months (if recommended)	

Children From Seven Through Eighteen Years Old			
Abbreviations	Vaccines	Age Requirements and Limitations	
Flu	Influenza (yearly)	Ages 7 - 18 years	
Tdap	Tetanus, diphtheria, and acellular pertussis	Ages 11- 12 years	
HPV	Human papillomavirus	Ages 11- 12 years (2 shots series) Note: A 3-shot series of HPV vaccine is needed for those with weakened immune systems and those who start the series at 15 years or older	
MenACWY	Meningococcal serogroups A,C,W,Y	Ages 11- 12 years	
MenACWY	Meningococcal A,C,W,Y Booster	Age 16 (recommended)	



Immunizations

Adults Nineteen Years or Older		
Abbreviations	Vaccines	Age Requirements and Limitations
IIV	Influenza inactivated	—Ages 19 ≥ 65 years (1 dose annually)
RIV	Influenza recombinant	
LAIV	Influenza live attenuated	Ages 19 - 49 years (1 dose annually)
Tdap	Tetanus, diphtheria, and acellular pertussis	Ages 19 ≥ 65 years (1 dose Tdap, then TD booster every 10 years)
MMR	Measles, mumps, and rubella	Ages 19 - 60 years - 1 or 2 doses depending on indication (if born in 1957 or later)
VAR	Varicella	Ages 19 -37 years - 2 doses (if born in 1980 or later)
RZV	Zoster recombinant	Ages 50 ≥ 65 years - 2 doses
ZVL	Zoster live	Ages 60 ≥ 65 years - 1 dose
HPV - Female	Human papillomavirus	Ages 19 - 26 years - 2 or 3 doses depending on age at initial vaccination
HPV- Male	Human papillomavirus	Ages 19 - 21 years - 2 or 3 doses depending on age at initial vaccination
PCV13	Pneumococcal 13-valent conjugate	Ages ≥ 65 years
PPSV23	Pneumococcal 23-valent polysaccharide	Ages ≥ 65 years

^{*} Immunization illustrations listed herein are based upon CDC recommendations contained in the following schedules: (i) Recommended Child and Adolescent Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/child-adolescent.html), and (ii) Recommended Adult Immunization Schedule (available at: https://www.cdc.gov/vaccines/schedules/hcp/imz/adult.html). Additional immunization scenarios not included in the aforementioned illustrations (such as catch-up immunization recommendations, immunization recommendations for certain high-risk groups, and immunization recommendations subject to individual clinical decision-making) may also be covered under this Plan pursuant to CDC recommendation. Information concerning these additional covered immunization scenarios (including vaccine type, age requirements, and frequency) is available online under the CDC schedule links listed above. Paper copies of these CDC schedules can also be obtained free of charge by written request to the Plan Administrator.



Exclusions

The following exclusions apply to the benefits offered under this Plan:

- 1. Office visits, physical examinations, immunizations, and tests when required solely for the following:
 - a. Sports, e. Insurance,
 - b. Camp, f. Marriage,
 - c. Employment, g. Legal proceedings
 - d. Travel,
- 2. Routine foot care for treatment of the following:
 - a. Flat feet, e. Toenails,
 - b. Corns,c. Bunions,d. Fallen arches,g. Weak feet,
 - d. Calluses, h. Chronic foot strain
- 3. Dental procedures
- 4. Any other medical service, treatment, or procedure not covered under this Plan
- 5. Any other expense, bill, charge, or monetary obligation not covered under this Plan, including but not limited to all non-medical service expenses, bills, charges, and monetary obligations. Unless the medical service is explicitly provided by this Appendix A or otherwise explicitly provided in this Plan Document, this Plan does not cover the medical service or any related expense, bill, charge, or monetary obligation to the medical service
- 6. Claims unrelated to treatment of medical care or treatment
- 7. Cosmetic surgery unless authorized as medically necessary. Such authorization is based on the following causes for cosmetic surgery: accidental injury, correction of congenital deformity within six (6) years of birth, or as a treatment of a diseased condition
- 8. Any treatment with respect to treatment of teeth or periodontium, any treatment of periodontal or periapical disease involving teeth surrounding tissue, or structure. Exceptions to this exclusion include only malignant tumors or benefits specifically noted in the schedule of benefits to the Plan Document
- 9. Any claim related to an injury arising out of or in the course of any employment for wage or profit
- Claims which would otherwise be covered by a Worker's Compensation policy for which a participant is entitled to benefit
- 11. Any claim arising from service received outside of the United States, except for the reasonable cost of claims billed by the Veterans Administration or Department of Defense for benefits covered under this Plan and not incurred during or from service in the Armed Forces of the United States
- 12. Claims for which a participant is not legally required to pay or claims which would not have been made if this Plan had not existed
- 13. Claims for services which are not medically necessary as determined by this Plan or the excess of any claim above reasonable and customary rates when a PPO network has not been contracted
- 14. Charges which are or could be reimbursed by any public health program irrespective of whether such coverage has been elected by a participant
- 15. Claims due to an act of war, declared or undeclared, not including acts of terrorism
- **16.** Claims for eyeglasses, contacts, hearing aids (or examinations for the fitting thereof) or radial keratotomy
- 17. Elective, voluntary abortions, except in the case of rape, incest, or congenital deformities of the fetus as determined through pre-natal testing, or when the life of the mother would be threatened if the fetus were carried to term
- 18. Travel, unless specifically provided in the schedule of benefits
- Custodial care for primarily personal, not medical, needs provided by persons with no special medical training or skill
- 20. Claims from any provider other than a healthcare provider as defined in the Plan Document unless explicitly permitted in the schedule of benefits
- Investigatory or experimental treatment, services, or supplies unless specifically covered under Approved Clinical Trials
- 22. Services or supplies which are primarily educational
- 23. Claims due to attempted suicide or intentionally self-inflicted injury while sane or insane, unless the claim results from a medical condition such as depression
- 24. Claims resulting from, or which arise due to the attempt or commission of, an illegal act. Claims by victims of domestic violence will not be subject to this exclusion
- 25. Claims with respect to any treatment or procedure to change one's physical anatomy to those of the opposite sex and any other treatment or study related to sex change



Exclusions

- 26. Claims from a medical service provider who is related by blood, marriage, or legal adoption to a participant
- 27. Any claims for fertility or infertility treatment
- 28. Claims for weight control, weight reduction, or surgical treatment for obesity or morbid obesity, unless explicitly provided in the schedule of benefits
- 29. Claims for disability resulting from reversal of sterilization
- 30. Claims for the completion of forms, or failure to keep scheduled appointments
- 31. Recreational or diversional therapy
- 32. Personal hygiene or convenience items, including but not limited to air conditioning, humidifiers, hot tubs, whirlpools, or exercise equipment, irrespective of the recommendations or prescriptions of a medical service provider
- 33. Claims due to participation in a dangerous activity, including but not limited to sky-diving, motorcycle or automobile racing, bungee jumping, rock climbing, rappelling, or hang gliding
- 34. Claims that arise primarily due to medical tourism
- 35. Supportive devices of the foot
- 36. Treatments for sexual dysfunction
- 37. Aquatic or massage therapy
- 38. Biofeedback training
- 39. Skilled nursing facilities
- 40. Durable medical equipment and prosthetics
- 41. Hospice care, private duty nursing, or long-term care
- 42. Residential facility for charges from a residential halfway house or home, or any facility which is not a health care institution licensed for the primary purpose of treatment of an illness or injury
- 43. Claims for temporomandibular joint syndrome
- 44. Claims for biotech or specialty prescriptions
- 45. Any claim which is not explicitly covered in the schedule of benefits
- 46. Genetic testing unless explicitly covered in the schedule of benefits
- 47. Organ transplants
- **48.** Claims for cosmetic surgery, not related to mastectomy reconstruction to produce a symmetrical appearance or prosthesis, or physical complications which result from such procedures.
- 49. Chiropractic care
- 50. Radiation and chemotherapy
- 51. Dialysis
- 52. Acupuncture
- 53. Alternative medicine/homeopathy
- 54. Children dental and vision
- 55. Neonatal intensive care (NICU)
- 56. Rehabilitative therapies
- 57. PCP surgery
- 58. Routine eye care (Adult)
- 59. Non-emergency care when traveling outside the U.S.
- 60. Routine well-baby care of newborn infant while inpatient.

"The purpose of this list of exclusions is solely to provide additional clarity regarding treatments, procedures, products, services, or any other items which are not covered under this plan. Accordingly, no exclusion shall be interpreted by negative implication, or otherwise, as evidence of the existence of coverage under this plan."